

CLASS 2 Publication (2 insertions)
July 23rd and July 29th

Vilas County News-Review

Request for Bid Proposals
Town of Conover

The Town of Conover will be accepting quotes for the repair and replacement of existing roofing and fascia on the 13,907 sf Conover Center structure at 4665 Co. Road K East. For specifications, contact the Town Office at 715-479-8688 or via Email to: deputyzonejim@gmail.com. Proposals will be accepted not later than 5:45 pm on August 6, 2015 at which time, they will be publically opened. Conover reserves the right to accept and/or reject, any and all proposals.

Dated this 18th day of July, 2015

/s/ James M. Hedberg
Deputy Clerk-Treasurer

Roof Project Specifications:

Conover Center/Post Office [4665 CTH K E - Conover]

Carlisle FleeceBACK EPDM roof system on a 13,907 sf roof

1. plane all existing foam insulation and dispose of chaff
2. remove loose or wet insulation and dispose of
3. replace all wet or damaged foam insulation with new sprayed form of the same thickness and re-plane those areas
4. fill in area of Post Office entrance to the same elevation as surrounding foam
5. adhere 115 mill fleece-backed EPDM with two-component adhesive
6. install new color CB-175 with color chosen from standard color chart
7. repair approx. forty (40) feet of soffit on N. side
8. perform all details per standard application
9. add fascia, on the complete building perimeter with metal

Indicate Warranty

Town of Conover
4665 CTH K E
PO Box 115
Conover WI 54519
Tel / Fax: 715-479-8688
www.townofconover.com
Email: deputyzonejim@gmail.com

RFP Dealine: 5:45 p.m. Thursday – August 6, 2015