

**SCHEDULE OF PRICES**

**PROJECT:** Town of Conover

**SITE:** Rummels Road Section #2 – Hwy 45 to End of new construction of new bridge constructed under WisDOT

**TOTAL LENGTH – 5,475' = 1.04 MILES**

ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT BID PRICE \$	TOTAL \$
PULVERIZE EXISTING ROADWAY AND ADDED BASE COURSE FULL WIDTH AND DEPTH. INCLUDES INTERSECTIONS TO TIE INTO EXISTING ROAD. SHAPE, GRADE AND COMPACT. 26' WIDE.	PER MILE	1.04		
FINAL GRADE, SHAPE, WATER AND COMPACT WITH VIBRATORY ROLLER PRIOR TO PAVING. 26' WIDE.	PER MILE	1.04		
FURNISH, HAUL, PLACE AND COMPACT A 2-1/4" AVERAGE THICKNESS ASPHALT SURFACE, TYPE 4 LT OR 12.5MM E-1 WITH A PG 58-28 ASPHALTIC CEMENT, 20' WIDE. WIDEN CORNERS AND INSTALL 6" APRONS AT UNPAVED ENTRANCES.	TONS	1,557		
FURNISH, HAUL, PLACE AND COMPACT A 3' CRUSHED AGGREGATE BASE COURSE SHOULDER.	CUBIC YARDS	410		
CONSTRUCT PRIVATE ENTRANCES-PAVED. INCLUDES PAVED INTERSECTIONS.	EACH	1		
SAWCUT ACCORDING TO PROPOSAL.	LUMP SUM	1		
			<b>TOTAL \$</b>	

**NOTES:**

The Town will strip shoulders and widen roadbed, cut trees, and remove stumps where necessary prior to Contractor's work.

The Town will furnish, haul, place, and compact crushed aggregate base course as needed prior to Contractor's work.

The Town will tie into existing gravel and red granite private entrances after paving and shouldering is completed by Contractor.

**SCHEDULE OF PRICES**

**PROJECT:** Town of Conover  
**SITE:** Pioneer Road – Option #1 Old 26 Road to far side of Triple B Road  
**TOTAL LENGTH – 1,400' = 0.27 MILES**

ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT BID PRICE \$	TOTAL \$
PULVERIZE EXISTING ROADWAY AND ADDED BASE COURSE FULL WIDTH AND DEPTH. INCLUDES INTERSECTIONS TO TIE INTO EXISTING ROAD. SHAPE, GRADE AND COMPACT. 26' WIDE.	PER MILE	0.27		
FINAL GRADE, SHAPE, WATER AND COMPACT WITH VIBRATORY ROLLER PRIOR TO PAVING. 26' WIDE.	PER MILE	0.27		
FURNISH, HAUL, PLACE AND COMPACT A 2-1/4" AVERAGE THICKNESS ASPHALT SURFACE, TYPE 4 LT OR 12.5MM E-1 WITH A PG 58-28 ASPHALTIC CEMENT, 20' WIDE. WIDEN CORNERS AND INSTALL 6" APRONS AT UNPAVED ENTRANCES.	TONS	405		
FURNISH, HAUL, PLACE AND COMPACT A 3' CRUSHED AGGREGATE BASE COURSE SHOULDER.	CUBIC YARDS	105		
CONSTRUCT PRIVATE ENTRANCES-PAVED. INCLUDES PAVED INTERSECTIONS.	EACH	0		
SAWCUT ACCORDING TO PROPOSAL.	LUMP SUM	1		
			<b>TOTAL \$</b>	

**NOTES:**

The Town will strip shoulders and widen roadbed, cut trees, and remove stumps where necessary prior to Contractor's work.

The Town will furnish, haul, place, and compact crushed aggregate base course as needed prior to Contractor's work.

The Town will tie into existing gravel and red granite private entrances after paving and shouldering is completed by Contractor.

PROJECT: Town of Conover  
 SITE: Twin Lake Road – Monheim Road to Boat Landing Road  
 TOTAL LENGTH – 5,120' = 0.97 MILES

ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT BID PRICE \$	TOTAL \$
PULVERIZE EXISTING ROADWAY AND ADDED BASE COURSE FULL WIDTH AND DEPTH. INCLUDES INTERSECTIONS TO TIE INTO EXISTING ROAD. SHAPE, GRADE AND COMPACT. 26' WIDE.	PER MILE	0.97		
FINAL GRADE, SHAPE, WATER AND COMPACT WITH VIBRATORY ROLLER PRIOR TO PAVING. 26' WIDE.	PER MILE	0.97		
FURNISH, HAUL, PLACE AND COMPACT A 2-1/4" AVERAGE THICKNESS ASPHALT SURFACE, TYPE 4 LT OR 12.5MM E-1 WITH A PG 58-28 ASPHALTIC CEMENT, 20' WIDE. WIDEN CORNERS AND INSTALL 6" APRONS AT UNPAVED ENTRANCES.	TONS	1,450		
FURNISH, HAUL, PLACE AND COMPACT A 3' CRUSHED AGGREGATE BASE COURSE SHOULDER.	CUBIC YARDS	382		
CONSTRUCT PRIVATE ENTRANCES-PAVED. INCLUDES PAVED INTERSECTIONS.	EACH	1		
SAWCUT ACCORDING TO PROPOSAL.	LUMP SUM	1		
			TOTAL \$	

**NOTES:**

The Town will strip shoulders and widen roadbed, cut trees, and remove stumps where necessary prior to Contractor's work.

The Town will furnish, haul, place, and compact crushed aggregate base course as needed prior to Contractor's work.

The Town will tie into existing gravel and red granite private entrances after paving and shouldering is completed by Contractor.

**SCHEDULE OF PRICES**

PROJECT: Town of Conover  
 SITE: Hegemann Road – Off Hwy K West  
 TOTAL LENGTH – 1,900' = 0.36 MILES

ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT BID PRICE \$	TOTAL \$
FINAL GRADE, SHAPE, WATER AND COMPACT WITH VIBRATORY ROLLER PRIOR TO PAVING. 26' WIDE.	LUMP SUM	1		
FURNISH, HAUL, PLACE AND COMPACT A 2-1/4" AVERAGE THICKNESS ASPHALT SURFACE, TYPE 4 LT OR 12.5MM E-1 WITH A PG 58-28 ASPHALTIC CEMENT, 20' WIDE. WIDEN CORNERS AND INSTALL 6" APRONS AT UNPAVED ENTRANCES.	TONS	561		
FURNISH, HAUL, PLACE AND COMPACT A 3' CRUSHED AGGREGATE BASE COURSE SHOULDER.	CUBIC YARDS	150		
CONSTRUCT PRIVATE ENTRANCES-PAVED. INCLUDES SIDEROADS	EACH	2		
SAWCUT ACCORDING TO PROPOSAL.	LUMP SUM	1		
			<b>TOTAL \$</b>	

**NOTES:**

The Town will strip shoulders and widen roadbed, cut trees, and remove stumps where necessary prior to Contractor's work.

The Town will furnish, haul, place, and compact crushed aggregate base course as needed prior to Contractor's work.

The Town will tie into existing gravel and red granite private entrances after paving and shouldering is completed by Contractor.

**SCHEDULE OF PRICES**

**PROJECT:** Town of Conover  
**SITE:** Elrose Court – Off Hegemann Road  
**TOTAL LENGTH – 466' = 0.088 MILES**

ITEM DESCRIPTION	UNIT OF MEASURE	QUANTITY	UNIT BID PRICE \$	TOTAL \$
FINAL GRADE, SHAPE, WATER AND COMPACT WITH VIBRATORY ROLLER PRIOR TO PAVING. 26' WIDE.	LUMP SUM	1		
FURNISH, HAUL, PLACE AND COMPACT A 2-1/4" AVERAGE THICKNESS ASPHALT SURFACE, TYPE 4 LT OR 12.5MM E-1 WITH A PG 58-28 ASPHALTIC CEMENT, 20' WIDE. WIDEN CORNERS AND INSTALL 6" APRONS AT UNPAVED ENTRANCES.	TONS	145		
FURNISH, HAUL, PLACE AND COMPACT A 3' CRUSHED AGGREGATE BASE COURSE SHOULDER.	CUBIC YARDS	40		
SAWCUT ACCORDING TO PROPOSAL.	LUMP SUM	1		
			<b>TOTAL \$</b>	

**NOTES:**

The Town will strip shoulders and widen roadbed, cut trees, and remove stumps where necessary prior to Contractor's work.

The Town will furnish, haul, place, and compact crushed aggregate base course as needed prior to Contractor's work.

The Town will tie into existing gravel and red granite private entrances after paving and shouldering is completed by Contractor